

BORAS-P01



PROJECT

REFERENCE NUMBER

BORAS-P01- _____ - _____ - _____ 120V - ELV - _____ - _____

EX

BORAS-P01- **08** **G04** - **CC** - **G9** 120V - ELV - **BLK** **IM** - **VGO**

MODEL GLOBE SUSPENSION SOURCE TENSION DIMMING STRUCTURE INTERIOR COLOR

DESIRED DELIVERY DATE:

QUANTITY

NOTES

CONFIGURATIONS



FEATURES

CERT. UL / cUL: E313355
VOLTAGE: 120V
FINISH: POWDER COATED

ORDER

MODEL

- 08** BORAS Ø8" x 4"
12 BORAS Ø12" x 6"
16 BORAS Ø16" x 8"
20 BORAS Ø20" x 10"
24 BORAS Ø24" x 12"
30 BORAS Ø30" x 15"
36 BORAS Ø36" x 18"
CUS* PERSONALIZED
- * PLEASE CONTACT YOUR ABBE REPRESENTATIVE
1. METAL WIRE REQUIRED

GLOBE SIZE

- AVG** WITH GLOBES (STANDARD CONFIG.):
BORAS 08 + GLOBE Ø4" (OPAL FROSTED GLASS ONLY)
BORAS 12 + GLOBE Ø6"
BORAS 16 + GLOBE Ø10"
BORAS 24 + GLOBE Ø14"
BORAS 30 + GLOBE Ø16"
BORAS 36 + GLOBE Ø16"
SNG WITHOUT GLOBE
G PERSONALIZED
- * PLEASE CONTACT YOUR ABBE REPRESENTATIVE

SUSPENSION

- BC** BLACK CABLE - 72"
WC WHITE CABLE - 72"
CC CLEAR CABLE - 72"
T30² RIGID STEM - 30"
T60² RIGID STEM - 60"
TS30² RIGID STEM SWIVEL - 30"
TS60² RIGID STEM SWIVEL - 60"
SCUS* PERSONALIZED
- * PLEASE CONTACT YOUR ABBE REPRESENTATIVE
2. STEM COLOR MATCHES THE STRUCTURE

LIGHT SOURCE

- INCANDESCENT**
E26 MAX 60W
G9* MAX 60W
* ONLY WITH GLOBE 4"
BULB NOT INCLUDED

INPUT VOLTAGE

- 120V** 120 VOLTS

DIMMING TYPE

- ELV** TRIAC / ELV

METAL STRUCTURE COLOR

- BLK** BLACK
WHT WHITE
SLV SILVER
S * PERSONALIZED
- * PLEASE CONSULT THE COLOR PAGE

INTERIOR COLOR

- IM** SAME COLOR AS STRUCTURE
IW WHITE INTERIOR
I * PERSONALIZED
- * PLEASE CONSULT THE COLOR PAGE

GLOBE COLOR

- AC** CLEAR ACRYLIC
AO OPAL WHITE ACRYLIC
AG CLEAR FROSTED ACRYLIC
AGO OPAL FROSTED ACRYLIC
VC CLEAR GLASS
VO OPAL WHITE GLASS
VG* CLEAR FROSTED GLASS
* ONLY OFFERED FOR 6" AND 8" GLOBES
VGO OPAL FROSTED GLASS

CODE

120V


ELV




--

BORAS-P01- _____ - _____ - _____ 120V - ELV - _____ - _____

STANDARD CORO
*ONLY OFFERED IN INCANDESCENT



STANDARD CONFIGURATIONS WITH GLOBES
*OFFERED IN INCANDESCENT AND INTERGRATED LED



CERT. UL / cUL:	E313355
VOLTAGE:	INDOOR USE ONLY
FINISH:	120V
	POWDER COATED

COLOR PAGE



STANDARD COLORS



BLK



WHT



SLV

SOLID RAL COLORS



1018



2011



3012



3002



4009



4005



5024



5010



6019



6029



1028



2004



3022



3004



4003



4007



5015



5008



6018



6020



7035



7036



7006



7043



7022

* FOR MORE COLOR OPTIONS, PLEASE CONTACT YOUR ABBE REPRESENTATIVE
* ADDITIONAL COSTS MAY APPLY

METALIC FINISHES



GLD



ALU



PRL

WIRE COLOR



BC



WC



CC

GLOBE COLOR



AC



AO



AG



AGO



VC



VO



VG¹



VGO

1. CLEAR FROSTED GLASS ONLY OFFERED FOR Ø6" AND Ø8" GLOBE

