

CORO_01-P01



PROJECT

REFERENCE NUMBER

EX

CORO_01-P01- **074** **G04** - **CC** - **E26** 120V - ELV - **BLK** **IM** - **VGO**

 MODEL GLOBE SUSPENSION SOURCE TENSION DIMMING STRUCTURE INTERIOR COLOR

DESIRED DELIVERY DATE:

QUANTITY

NOTES

CONFIGURATIONS



ORDER

CODE

MODEL

- 042*** CORO Ø4.75 x 2"
 * OFFERED WITHOUT OPTIONAL GLOBE
074 CORO Ø7" x 4.5"
126 CORO Ø12" x 6"
189 CORO Ø18" x 9"
3015 CORO Ø30" x 15"
CUS* PERSONALIZED
 * PLEASE CONTACT YOUR ABBE REPRESENTATIVE

GLOBE SIZE

- AVG** WITH GLOBES (STANDARD CONFIG.):
 CORO 074 + GLOBE Ø4" (OPAL FROSTED GLASS ONLY)
 CORO 126 + GLOBE Ø6"
 CORO 189 + GLOBE Ø10"
 CORO 3015 + GLOBE Ø16"
SNG WITHOUT GLOBE
G PERSONALIZED
 * PLEASE CONTACT YOUR ABBE REPRESENTATIVE

SUSPENSION

- BC** BLACK CABLE - 72"
WC WHITE CABLE - 72"
CC CLEAR CABLE - 72"
T30¹ RIGID STEM 30"
T60¹ RIGID STEM 60"
TS30¹ RIGID STEM SWIVEL - 30"
TS60¹ RIGID STEM SWIVEL - 60"
SCUS* PERSONALIZED
 * PLEASE CONTACT YOUR ABBE REPRESENTATIVE
 1. STEM COLOR MATCHES THE STRUCTURE

LIGHT SOURCE

- INCANDESCENT**
E26 MAX 60W
G9² MAX 60W
MR16³ 4W - 260lms INITIAL
 2. ONLY WITH GLOBE 4"
 3. FOR 402 ONLY
 BULB NOT INCLUDED

INPUT VOLTAGE

- 120V** 120 VOLTS

DIMMING TYPE

- ELV** TRIAC / ELV

METAL STRUCTURE COLOR

- BLK** BLACK
WHT WHITE
SLV SILVER
S^{*} PERSONALIZED
 * PLEASE CONSULT THE COLOR PAGE

INTERIOR COLOR

- IM** SAME COLOR AS THE STRUCTURE
IW WHITE INTERIOR
I^{*} PERSONALIZED
 * PLEASE CONSULT THE COLOR PAGE

GLOBE COLOR

- AC** CLEAR ACRYLIC
AO OPAL WHITE ACRYLIC
AG CLEAR FROSTED ACRYLIC
AGO OPAL FROSTED ACRYLIC
VC CLEAR GLASS
VO OPAL WHITE GLASS
VG* CLEAR FROSTED GLASS
 * ONLY OFFERED FOR 6" AND 8" GLOBES
VGO OPAL FROSTED GLASS

FEATURES

CERT. UL / cUL: E313355
 INDOOR USE ONLY
 VOLTAGE: 120V
 FINISH: POWDER COATED



CORO_01-P01




PROJECT

REFERENCE NUMBER


CORO_01-P01- - - 120V - ELV - - -

PRODUCT SPECIFICATIONS

STANDARD CORO *ONLY OFFERED IN INCANDESCENT



STANDARD CONFIGURATIONS WITH GLOBES *OFFERED IN INCANDESCENT AND INTERGRATED LED



FEATURES

CERT. UL / cUL:	E313355
VOLTAGE:	INDOOR USE ONLY
FINISH:	120V
	POWDER COATED



COLOR PAGE



STANDARD COLORS



BLK



WHT



SLV

SOLID RAL COLORS



1018



2011



3012



3002



4009



4005



5024



5010



6019



6029



1028



2004



3022



3004



4003



4007



5015



5008



6018



6020



7035



7036



7006



7043



7022

* FOR MORE COLOR OPTIONS, PLEASE CONTACT YOUR ABBE REPRESENTATIVE
* ADDITIONAL COSTS MAY APPLY

METALIC FINISHES



GLD



ALU



PRL

WIRE COLOR



BC



WC



CC

GLOBE COLOR



AC



AO



AG



AGO



VC



VO



VG¹



VGO

1. CLEAR FROSTED GLASS ONLY OFFERED FOR Ø6" AND Ø8" GLOBE

