

GRAZ_01-P01



PROJECT

REFERENCE NUMBER

EX

GRAZ_01-P01- **3072** **BC** - **LED2** - **120V** - **30K** **80** - **010V** - **BLK** **44**


MODEL SUSPENSION SOURCE TENSION CCT CRI DIMMING STRUCTURE GRILLAGE

DESIRED DELIVERY DATE:

QUANTITY

NOTES

CONFIGURATIONS



FEATURES

CERT. UL / cUL:	E313355
VOLTAGE:	120V
FINISH:	POWDER COATED

ORDER

MODEL

3072 GRAZ 30" x 72"
CUS* PERSONALIZED
* PLEASE CONTACT YOUR ABBE REPRESENTATIVE

CODE

SUSPENSION

BC BLACK CABLE - 72"
WC WHITE CABLE - 72"
CC CLEAR CABLE - 72"
T30¹ RIGID STEM 30"
T54¹ RIGID STEM 54"
TS30¹ RIGID STEM SWIVEL 30"
TS54¹ RIGID STEM SWIVEL 54"
SCUS* PERSONALIZED
* PLEASE CONTACT YOUR ABBE REPRESENTATIVE
1. STEM COLOR MATCHES THE STRUCTURE

LIGHT SOURCE

INTERGRATED LED
LED1 65.6W - 4920lm INITIAL
LED2 98.4W - 9840lm INITIAL

INPUT VOLTAGE

120V 120 VOLTS

COLOR TEMPERATURE

27K 2700K
30K 3000K
35K 3500K
40K 4000K

COLOR RENDERING

80 80CRI
90 90CRI

DIMMING TYPE

010V 0-10 VOLTS DIMMING 1%
* TRIAC POSSIBILITY ON REQUEST

METAL STRUCTURE COLOR

BLK BLACK
WHT WHITE
SLV SILVER
S___* PERSONALIZED
* PLEASE CONSULT THE COLOR PAGE

WIRE MESH

22 MESH 2" x 2"
44 MESH 4" x 4"
NG NO MESH



GRAZ_01-P01




PROJECT

REFERENCE NUMBER

GRAZ_01-P01-

NOTES

PRODUCT SPECIFICATION



FEATURES

CERT. UL / cUL:	E313355
VOLTAGE:	INDOOR USE ONLY
FINISH:	120V
	POWDER COATED



COLOR PAGE



STANDARD COLORS



BLK



WHT



SLV

SOLID RAL COLORS



1018



2011



3012



3002



4009



4005



5024



5010



6019



6029



1028



2004



3022



3004



4003



4007



5015



5008



6018



6020



7035



7036



7006



7043



7022

* FOR MORE COLOR OPTIONS, PLEASE CONTACT YOUR ABBE REPRESENTATIVE
* ADDITIONAL COSTS MAY APPLY

METALIC FINISHES



GLD



ALU



PRL

WIRE COLOR



BC



WC



CC

GLOBE COLOR



AC



AO



AG



AGO



VC



VO



VG¹



VGO

1. CLEAR FROSTED GLASS ONLY OFFERED FOR Ø6" AND Ø8" GLOBE

