

MORIYA-P



PROJECT

REFERENCE NUMBER

EX

MORIYA-P-	146	CC	-	E26	120V	-	ELV	-	BLK	-	OP
	MODEL	SUSPENSION		SOURCE	TENSION		DIMMING		STRUCTURE		DIFFUSER

DESIRED DELIVERY DATE:

QUANTITY

NOTES

CONFIGURATIONS



ORDER

MODEL

146 MORIYA Ø13.75 x 5.5
 196 MORIYA Ø18.87 x 6.25
 248 MORIYA Ø23.62 x 8.25
 CUS* PERSONALIZED
* PLEASE CONTACT YOUR ABBE REPRESENTATIVE

SUSPENSION

BC BLACK CABLE - 72"
 WC WHITE CABLE - 72"
 CC CLEAR CABLE - 72"
 T30¹ RIGID STEM 30"
 T60¹ RIGID STEM 60"
 TS30¹ RIGID STEM SWIVEL 30"
 TS60¹ RIGID STEM SWIVEL 60"
 SCUS* PERSONALIZED
* PLEASE CONTACT YOUR ABBE REPRESENTATIVE
1. STEM COLOR MATCHES THE STRUCTURE

LIGHT SOURCE

E26 (3x) MAX 60W
* BULB NOT INCLUDED

INPUT VOLTAGE

120V 120 VOLTS

DIMMING TYPE

ELV TRIAC / ELV

METAL STRUCTURE COLOR

BLK BLACK
 WHT WHITE
 SLV SILVER
 S___* PERSONALIZED
* PLEASE CONSULT THE COLOR PAGE

DIFFUSER

OP OPAL WHITE DIFFUSER

CODE

E26

120V

ELV

OP

FEATURES

CERT. UL / cUL: E313355
 INDOOR USE ONLY
 VOLTAGE: 120V
 FINISH: POWDER COATED



MORIYA-P




PROJECT

REFERENCE NUMBER

MORIYA-P-

NOTES

PRODUCT SPECIFICATION



FEATURES

CERT. UL / cUL:	E313355
VOLTAGE:	INDOOR USE ONLY
FINISH:	120V
	POWDER COATED



COLOR PAGE



STANDARD COLORS



BLK



WHT



SLV

SOLID RAL COLORS



1018



2011



3012



3002



4009



4005



5024



5010



6019



6029



1028



2004



3022



3004



4003



4007



5015



5008



6018



6020



7035



7036



7006



7043



7022

* FOR MORE COLOR OPTIONS, PLEASE CONTACT YOUR ABBE REPRESENTATIVE
* ADDITIONAL COSTS MAY APPLY

METALIC FINISHES



GLD



ALU



PRL

WIRE COLOR



BC



WC



CC

