

MORIYA-S



PROJECT

REFERENCE NUMBER

EX

MORIYA-S-	146	-	E26	120V	-	ELV	-	BLK	-	OP
	MODEL		SOURCE	TENSION		DIMMING		STRUCTURE		DIFFUSER

DESIRED DELIVERY DATE:

QUANTITY

NOTES

CONFIGURATIONS

ORDER

MODEL

146 MORIYA Ø13.75 x 5.5
196 MORIYA Ø18.87 x 6.25
248 MORIYA Ø23.62 x 8.25
CUS* PERSONALIZED
* PLEASE CONTACT YOUR ABBE REPRESENTATIVE

CODE

LIGHT SOURCE

E26 (3x) MAX 60W
* BULB NOT INCLUDED

INPUT VOLTAGE

120V 120 VOLTS

DIMMING TYPE

ELV TRIAC / ELV

METAL STRUCTURE COLOR

BLK BLACK
WHT WHITE
SLV SILVER
S___* PERSONALIZED
* PLEASE CONSULT THE COLOR PAGE

DIFFUSER

OP OPAL WHITE DIFFUSER



FEATURES

CERT. UL / cUL:	E313355
VOLTAGE:	INDOOR USE ONLY
FINISH:	120V
	POWDER COATED



MORIYA-S




PROJECT

REFERENCE NUMBER

MORIYA-S-

NOTES

PRODUCT SPECIFICATION



FEATURES

CERT. UL / cUL:	E313355
VOLTAGE:	INDOOR USE ONLY
FINISH:	120V
	POWDER COATED



COLOR PAGE



STANDARD COLORS



BLK



WHT



SLV

SOLID RAL COLORS



1018



2011



3012



3002



4009



4005



5024



5010



6019



6029



1028



2004



3022



3004



4003



4007



5015



5008



6018



6020



7035



7036



7006



7043



7022

* FOR MORE COLOR OPTIONS, PLEASE CONTACT YOUR ABBE REPRESENTATIVE
* ADDITIONAL COSTS MAY APPLY

METALIC FINISHES



GLD



ALU



PRL

WIRE COLOR



BC



WC



CC

