

OSLO_01-P



PROJECT

REFERENCE NUMBER

EX

OSLO_01-P- **17** **CC** - **E26** **120V** - **ELV** - **BLK**

MODEL SUSPENSION SOURCE TENSION DIMMING EDGE

DESIRED DELIVERY DATE

QUANTITY

NOTES

CONFIGURATIONS

ORDER

MODEL

- 17** OSLO Ø17.5"
21 OSLO Ø21.5"
25 OSLO Ø25.5"
CUS* PERSONALIZED
* PLEASE CONTACT YOUR ABBE REPRESENTATIVE

CODE

SUSPENSION

- BC** BLACK CABLE - 72"
WC WHITE CABLE - 72"
CC CLEAR CABLE - 72"
T30 ¹ RIGID STEM - 30"
T60 ¹ RIGID STEM - 60"
TS30 ¹ RIGID STEM SWIVEL - 30"
TS60 ¹ RIGID STEM SWIVEL - 60"
SCUS ² PERSONALIZED

1. STEM COLOR MATCHES THE WOOD EDGES
2. PLEASE CONTACT YOUR ABBE REPRESENTATIVE
2.1 FOR NATURAL BIRCH, PLEASE SPECIFY THE DESIRED STEM COLOR

LIGHT SOURCE

- E26** MAX 60W
* AMPOULE NON INCLUSE | BULB NOT INCLUDED

INPUT VOLTAGE

- 120V** 120 VOLTS

DIMMING TYPE

- ELV** TRIAC / ELV

BIRCH EDGE COLOR

- BLK** BLACK EDGE
WHT WHITE EDGE
NAT NATURAL BIRCH
***** PERSONALIZED
* PLEASE CONSULT THE COLOR PAGE



FEATURES

CERT. UL / cUL:	E313355
VOLTAGE:	INDOOR USE ONLY
FINISH:	120V
	POWDER COATED



OSLO_01-P




PROJECT

REFERENCE NUMBER

OSLO_01-P-

NOTES



FEATURES

CERT. UL / cUL:	E313355
VOLTAGE:	INDOOR USE ONLY
FINISH:	120V
	POWDER COATED



COLOR PAGE



STANDARD COLORS



BLK



WHT



SLV

SOLID RAL COLORS



1018



2011



3012



3002



4009



4005



5024



5010



6019



6029



1028



2004



3022



3004



4003



4007



5015



5008



6018



6020



7035



7036



7006



7043



7022

* FOR MORE COLOR OPTIONS, PLEASE CONTACT YOUR ABBE REPRESENTATIVE
* ADDITIONAL COSTS MAY APPLY

METALIC FINISHES



GLD



ALU



PRL

WIRE COLOR



BC



WC



CC

