

OVIEDO-P



PROJECT

REFERENCE NUMBER

EX

OVIEDO-P- **09** **CC** - **E26** **120V** - **ELV** - **BLK** **VGO**

MODEL SUSPENSION SOURCE TENSION DIMMING STRUCTURE GLOBE

DESIRED DELIVERY DATE:

QUANTITY

NOTES

CONFIGURATIONS



ORDER

MODEL

09 OVIEDO Ø9.5"
13 OVIEDO Ø13"
17 OVIEDO Ø17.75"
CUS* PERSONALIZED
* PLEASE CONTACT YOUR ABBE REPRESENTATIVE

SUSPENSION

BC BLACK CABLE - 72"
WC WHITE CABLE - 72"
CC CLEAR CABLE - 72"
T30¹ RIGID STEM 30"
T60¹ RIGID STEM 60"
TS30¹ RIGID STEM SWIVEL 30"
TS60¹ RIGID STEM SWIVEL 60"
SCUS* PERSONALIZED
* PLEASE CONTACT YOUR ABBE REPRESENTATIVE
1. STEM COLOR MATCHES THE STRUCTURE

LIGHT SOURCE

INCANDESCENT
E-26 MAX 60W
AMPOULE NON INCLUSE

INPUT VOLTAGE

120V 120 VOLTS

DIMMING TYPE

ELV TRIAC / ELV

METAL STRUCTURE COLOR

BLK BLACK
WHT WHITE
SLV SILVER
S_* PERSONALIZED
* PLEASE CONSULT THE COLOR PAGE

GLOBE COLOR

VGO OPAL FROSTED GLASS

CODE

E-26

120V

ELV

VGO

FEATURES

CERT. UL / cUL: E313355
INDOOR USE ONLY
VOLTAGE: 120V
FINISH: POWDER COATED



OVIEDO-P




PROJECT

REFERENCE NUMBER

OVIEDO-P-

NOTES

PRODUCT SPECIFICATION



FEATURES

CERT. UL / cUL:	E313355
VOLTAGE:	INDOOR USE ONLY
FINISH:	120V
	POWDER COATED



COLOR PAGE



STANDARD COLORS



BLK



WHT



SLV

SOLID RAL COLORS



1018



2011



3012



3002



4009



4005



5024



5010



6019



6029



1028



2004



3022



3004



4003



4007



5015



5008



6018



6020



7035



7036



7006



7043



7022

* FOR MORE COLOR OPTIONS, PLEASE CONTACT YOUR ABBE REPRESENTATIVE
* ADDITIONAL COSTS MAY APPLY

METALIC FINISHES



GLD



ALU



PRL

WIRE COLOR



BC



WC



CC

