

TUPA-P01



PROJECT

REFERENCE NUMBER

EX

TUPA-P01- **306** **CC** - **E26** 120V - **ELV** - **BLK**

MODEL SUSPENSION SOURCE TENSION DIMMING STRUCTURE

DESIRED DELIVERY DATE:

QUANTITY

NOTES

CONFIGURATIONS



ORDER

MODEL

206	TUPA Ø2.5" x 6"
208	TUPA Ø2.5" x 8"
212	TUPA Ø2.5" x 12"
306	TUPA Ø3" x 6"
308	TUPA Ø3" x 8"
312	TUPA Ø3" x 12"
408	TUPA Ø4" x 8"
412	TUPA Ø4" x 12"
CUS*	PERSONALIZED

* PLEASE CONTACT YOUR ABBE REPRESENTATIVE

SUSPENSION

BC	BLACK CABLE - 72"
WC	WHITE CABLE - 72"
CC	CLEAR CABLE - 72"
T30 ¹	RIGID STEM 30"
T60 ¹	RIGID STEM 60"
TS30 ¹	RIGID STEM SWIVEL 30"
TS60 ¹	RIGID STEM SWIVEL 60"
SCUS*	PERSONALIZED

* PLEASE CONTACT YOUR ABBE REPRESENTATIVE

1. STEM COLOR MATCHES THE STRUCTURE

LIGHT SOURCE

E26P	E26 TYPE PAR (PAR20 / PAR30) - MAX 60W
E26A	E26 TYPE A (A15 / A19) - MAX 60W
GU10*	MAX 60W

* ONLY WITH Ø2.5" TUPA

BULB NOT INCLUDED

INPUT VOLTAGE

120V	120 VOLTS
-------------	-----------

120V

DIMMING TYPE

ELV	TRIAC / ELV
------------	-------------

ELV

METAL STRUCTURE COLOR

BLK	BLACK
WHT	WHITE
SLV	SILVER
S___*	PERSONALIZED

* PLEASE CONSULT THE COLOR PAGE

FEATURES

CERT. UL / cUL:	E313355
VOLTAGE:	INDOOR USE ONLY
FINISH:	120V
	POWDER COATED



TUPA-P01




PROJECT

REFERENCE NUMBER

TUPA-P01-

NOTES

PRODUCT SPECIFICATION



FEATURES

CERT. UL / cUL:	E313355
VOLTAGE:	INDOOR USE ONLY
FINISH:	120V
	POWDER COATED



COLOR PAGE



STANDARD COLORS



BLK



WHT



SLV

SOLID RAL COLORS



1018



2011



3012



3002



4009



4005



5024



5010



6019



6029



1028



2004



3022



3004



4003



4007



5015



5008



6018



6020



7035



7036



7006



7043



7022

* FOR MORE COLOR OPTIONS, PLEASE CONTACT YOUR ABBE REPRESENTATIVE
* ADDITIONAL COSTS MAY APPLY

METALIC FINISHES



GLD



ALU



PRL

WIRE COLOR



BC



WC



CC

