

TUPA-S



PROJECT

REFERENCE NUMBER

EX

TUPA-S- **308** - **E26A** 120V - ELV - **BLK**

MODEL SOURCE TENSION GRADATION STRUCTURE

DESIRED DELIVERY DATE:

QUANTITY

NOTES

CONFIGURATIONS



ORDER

MODEL

- 206** TUPA Ø2.5" x 6"
- 208** TUPA Ø2.5" x 8"
- 212** TUPA Ø2.5" x 12"
- 306** TUPA Ø3" x 6"
- 308** TUPA Ø3" x 8"
- 312** TUPA Ø3" x 12"
- 408** TUPA Ø4" x 8"
- 412** TUPA Ø4" x 12"
- CUS*** PERSONALIZED

* PLEASE CONTACT YOUR ABBE REPRESENTATIVE

LIGHT SOURCE

- E26P** E26 TYPE P (PAR20 / PAR30) - MAX 60W
- E26A** E26 TYPE A (A15 / A19) - MAX 60W
- GU10*** MAX 60W

* ONLY WITH Ø2.5" TUPA BULB NOT INCLUDED

INPUT VOLTAGE

- 120V** 120 VOLTS

DIMMING TYPE

- ELV** TRIAC / ELV

METAL STRUCTURE COLOR

- BLK** BLACK
- WHT** WHITE
- SLV** SILVER
- S___*** PERSONALIZED

* PLEASE CONSULT THE COLOR PAGE

FEATURES

CERT. UL / cUL: E313355
INDOOR USE ONLY
VOLTAGE: 120V
FINISH: POWDER COATED



TUPA-S




PROJECT

REFERENCE NUMBER

TUPA-S-

NOTES

PRODUCT SPECIFICATION



FEATURES

CERT. UL / cUL:	E313355
VOLTAGE:	INDOOR USE ONLY
FINISH:	120V
	POWDER COATED



COLOR PAGE



STANDARD COLORS



BLK



WHT



SLV

SOLID RAL COLORS



1018



2011



3012



3002



4009



4005



5024



5010



6019



6029



1028



2004



3022



3004



4003



4007



5015



5008



6018



6020



7035



7036



7006



7043



7022

* FOR MORE COLOR OPTIONS, PLEASE CONTACT YOUR ABBE REPRESENTATIVE

* ADDITIONAL COSTS MAY APPLY

METALIC FINISHES



GLD



ALU



PRL

