

VALLARI-SM01



PROJECT

REFERENCE NUMBER

EX

VALLARI-SM01- **06** **3X** - **36** - **E26** 120V - **ELV** - **BLK** **VO**

MODEL QTY STRUCTURE SOURCE TENSION DIMMING COLOR GLOBE

DESIRED DELIVERY DATE

QUANTITY

NOTES

CONFIGURATIONS

ORDER

CODE

MODEL

- 04*** VALLARI 4"
* GLOBE VGO ONLY
- 06** VALLARI 6"
- 08** VALLARI 8"
- CUS*** PERSONALIZED
* PLEASE CONTACT YOUR ABBE REPRESENTATIVE

GLOBE QUANTITY

- 3X** 3 x GLOBES
- XCUS*** CUSTOM QUANTITY
* PLEASE CONTACT YOUR ABBE REPRESENTATIVE

STRUCTURE

- 36** STRUCTURE 36"
- 48** STRUCTURE 48"
- 60** STRUCTURE 60"
- SCUS*** PERSONALIZED
* PLEASE CONTACT YOUR ABBE REPRESENTATIVE

LIGHT SOURCE

INCANDESCENT

- E26** MAX 60W
- G9*** MAX 60W
* ONLY WITH GLOBE 4"

INPUT VOLTAGE

- 120V** 120 VOLTS

120V

DIMMING TYPE

- ELV** TRIAC / ELV

120V

METAL STRUCTURE COLOR

- BLK** BLACK
- WHT** WHITE
- SLV** SILVER
- S___*** PERSONALIZED
* PLEASE CONTACT YOUR ABBE REPRESENTATIVE

GLOBE COLOR

- AC** CLEAR ACRYLIC
- AO** OPAL WHITE ACRYLIC
- AG** CLEAR FROSTED ACRYLIC
- AGO** OPAL FROSTED ACRYLIC
- VC** CLEAR GLASS
- VO** OPAL WHITE GLASS
- VG*** CLEAR FROSTED GLASS
* ONLY OFFERED FOR 6" AND 8"
- VGO** OPAL FROSTED GLASS



FEATURES

CERT. UL / cUL: E313355
INDOOR USE ONLY

VOLTAGE: 120V

FINISH: POWDER COATED



VALLARI-SM01






PROJECT

REFERENCE NUMBER

VALLARI-SM01

NOTES

PRODUCT SPECIFICATION



FEATURES

CERT. UL / cUL:	E313355
VOLTAGE:	INDOOR USE ONLY
FINISH:	120V
	POWDER COATED



COLOR PAGE



STANDARD COLORS



BLK



WHT



SLV

SOLID RAL COLORS



1018



2011



3012



3002



4009



4005



5024



5010



6019



6029



1028



2004



3022



3004



4003



4007



5015



5008



6018



6020



7035



7036



7006



7043



7022

* FOR MORE COLOR OPTIONS, PLEASE CONTACT YOUR ABBE REPRESENTATIVE
* ADDITIONAL COSTS MAY APPLY

METALIC FINISHES



GLD



ALU



PRL

WIRE COLOR



BC



WC



CC

GLOBE COLOR



AC



AO



AG



AGO



VC



VO



VG¹



VGO

1. CLEAR FROSTED GLASS ONLY OFFERED FOR Ø6" AND Ø8" GLOBE

