

VALLARI-WM01



PROJECT

REFERENCE NUMBER

EX

VALLARI-WM01 **04** **083** - **E26** **120V** - **ELV** - **BLK** **AO**

MODEL MOUNTING SOURCE TENSION DIMMING STRUCTURE GLOBE

DESIRED DELIVERY DATE

QUANTITY

NOTES

CONFIGURATIONS



ORDER

CODE

MODEL

- 04*** VALLARI 4"
* GLOBE VGO (FROSTED OPAL GLASS) ONLY
- 06** VALLARI 6"
- 08** VALLARI 8"
- CUS*** PERSONALIZED
* PLEASE CONTACT YOUR ABBE REPRESENTATIVE

SURFACE MOUNTING

- 083** MOUNTING 8" x 3"
- 104** MOUNTING 10" x 4"
- 125** MOUNTING 12" x 5"
- FCUS*** PERSONALIZED
* PLEASE CONTACT YOUR ABBE REPRESENTATIVE

LIGHT SOURCE

- E26** MAX 60W
- G9*** MAX 60W
* ONLY WITH GLOBE 4"
BULB NOT INCLUDED

INPUT VOLTAGE

120V 120 VOLTS

120V

DIMMING TYPE

ELV TRIAC / ELV

ELV

METAL STRUCTURE COLOR

- BLK** BLACK
- WHT** WHITE
- SLV** SILVER
- S___*** PERSONALIZED
* PLEASE CONSULT THE COLOR PAGE

GLOBE COLOR

- AC** CLEAR ACRYLIC
- AO** OPAL WHITE ACRYLIC
- AG** CLEAR FROSTED ACRYLIC
- AGO** OPAL FROSTED ACRYLIC
- VC** CLEAR GLASS
- VO** OPAL WHITE GLASS
- VG*** CLEAR FROSTED GLASS
* ONLY OFFERED FOR 6" AND 8" GLOBES
- VGO** OPAL FROSTED GLASS

FEATURES

CERT. UL / cUL: E313355
INDOOR USE ONLY

VOLTAGE: 120V

FINISH: POWDER COATED



VALLARI-WM01




PROJECT

REFERENCE NUMBER

VALLARI-WM01

NOTES

PRODUCT SPECIFICATION



FEATURES

CERT. UL / cUL:	E313355
VOLTAGE:	INDOOR USE ONLY
FINISH:	120V
	POWDER COATED



COLOR PAGE



STANDARD COLORS



BLK



WHT



SLV

SOLID RAL COLORS



1018



2011



3012



3002



4009



4005



5024



5010



6019



6029



1028



2004



3022



3004



4003



4007



5015



5008



6018



6020



7035



7036



7006



7043



7022

* FOR MORE COLOR OPTIONS, PLEASE CONTACT YOUR ABBE REPRESENTATIVE
* ADDITIONAL COSTS MAY APPLY

METALIC FINISHES



GLD



ALU



PRL

WIRE COLOR



BC



WC



CC

GLOBE COLOR



AC



AO



AG



AGO



VC



VO



VG¹



VGO

1. CLEAR FROSTED GLASS ONLY OFFERED FOR Ø6" AND Ø8" GLOBE

